


SLX-VDXC

VENTURI DISPENSE STATION - HIGH CONCENTRATE




The SLX-VDXC is a high-concentrate chemical dispense station, ideal for filling containers with concentrated chemical solutions. With flow rates at 1 or 2 GPM, and up to a 0.8:1 dilution ratio, these units are the perfect solution for filling a variety of different size containers using a ball valve or trigger gun.

This low to medium volume decentralized mixing station works with city water pressure to dilute chemistry at a range of flow rates to get you accurately measured, ready to use cleaning solution.



Ball valve wand,
or trigger gun



FEATURES:

- Stronger dilution ratios, up to 0.8:1
- More efficient and accurate than manual mixing
- Ball valve or trigger wand for controlled dispensing
- Split body design for easy servicing and maintenance (patent pending)
- Tool free maintenance
- Modular components to alter dilution ratios
- Heavy duty, durable construction
- Large stainless steel ball valve at inlet for hands free mixing


Dimensions	8-1/4" x 10" x 6"
Flow Rate*	1.0 - 2.0 GPM
Max Temperature	160°F
Water Pressure	35-125 PSI
Max Dilution**	0.92:1 - 0.8:1

*Flow rate will vary depending on insert size.

**Dilution range will vary depending on insert and hose size.

INCLUDES:

- Station with polypropylene body
- PVC venturi insert (*dependent on flow rate*)
- Stainless steel mounting bracket and lockable cover
- High-flow metering plugs for 3:1, 2:1, and 1:1 dilution ratios
- 1/2" braided hose with domed mesh strainer
- Water pressure gauge
- 15' blue discharge hose
- Polypropylene wand with ball valve
 - *Trigger gun upgrade available*



**Polypropylene wand with ball valve shown, optional trigger gun available*

SPECIFICATIONS

Part Number	Water Flow Rate (GPM)	Hose Size	Max Dilution Ratio (@ 40 PSI)
V10XC	1.0	1/2" x 15'	0.92:1
V20XC	2.0	3/4" x 15'	0.8:1

PART NUMBER ARCHITECTURE

SLX-VD [insert size] **XC** [body material]

10 or 20

P = Polypropylene

ex) **SLX-VDXC10P** = Venturi Dispense Station with V10 insert for high concentrate, and polypropylene body.